



KONINKRIJK DER



NEDERLANDEN

Bureau voor de Industriële Eigendom



This is to declare that in the Netherlands on October 2, 2003 under No. PCT/NL 03/00673,
in the name of:

CAMPINA B.V.

in Zaltbommel, the Netherlands and

Geertruida Lotte Alida BOTERKOOPE

in Den Bosch, the Netherlands and

Kurt STAAS

in Bad Schwartau, Germany

an international patent application was filed for:

"Ice cream having improved stability",

and that the documents attached hereto correspond with the originally filed documents.

Rijswijk, November 2, 2004

In the name of the president of the Netherlands Industrial Property Office


Mrs. E.L.M. Brouwer

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

BEST AVAILABLE COPY

Short title: Ice cream having improved stability

This invention relates to ice cream prepared by freezing an ice cream mix having a freezing point of -3.5°C or lower, a method for obtaining said ice cream and an ice cream mix for preparing the ice cream.

5 Ice cream is a well known food product (see e.g. W000/01246) which has a smooth and creamy texture. Ice cream is prepared by freezing an emulsion under the incorporation of a gas. The emulsion is also referred to as the "ice cream mix" or "mix". Said mix is generally composed of fat, milk solids non-fat, sugars, stabilisers,
10 emulsifiers, water and salts.

The term "ice cream" is well known in the art and is obtained by freezing the ice cream mix upon whipping. As such, the ice cream has the same composition as the mix; however, its structure differs as ice cream is (at least partially) frozen and a substantial portion
15 of the ice cream's volume is made up of air.

The unique structure of the ice cream is due to a complex interplay between the mix components. In the mix, the fat exists as tiny globules, that are formed by homogenisation. Those fat globules are coated by a protein layer to form an oil-in-water emulsion. The
20 protein thus stabilises the fat globules in the water phase. In ice cream, those fat globules need however to be destabilised as to form a partially coalesced network surrounding and stabilising the air bubbles that are incorporated in the ice cream upon whipping of the mix. To this end, emulsifiers are added to the mix to reduce the
25 stability of the mix emulsion. Also, in reduced fat (1-9% w/w) ice cream, emulsifiers help to stabilise the foamed emulsion (before and after freezing). The emulsifier displaces proteins on the surface of the fat globules, which process is also known as "ripening" of the emulsion, to interrupt the regularity of this protein layer. As a
30 consequence of this destabilisation, upon whipping the fat globules will partially coalesce and, during the freezing process, form a network to stabilise the thus incorporated air bubbles (forming air cells). The fat and air cell structure are essential to confer ice cream its typical sensation.

35 The water present in the frozen ice cream is present both in frozen and unfrozen state; thus, the ice cream comprises both a

frozen and an unfrozen water fraction. The frozen water fraction is constituted by ice crystals, which are in addition to the above-discussed fat and air cell structure, important for the unique "icy" texture of the ice cream. However, too many and/or too large ice crystals in the ice cream can also negatively affect the ice cream texture and smoothness, resulting in an undesired gritty, coarse icy sensation.

The unfrozen water fraction accommodates the water soluble ingredients of the ice cream. This fraction is commonly known as the aqueous phase. The said aqueous phase plays an important role in the stabilisation of the required foamy air cell structure of the ice cream and the scoopability thereof. During freezing, ice crystals are formed such that less unfrozen water becomes available, resulting in concentration of the water soluble ingredients in the aqueous phase. Thus, an increase in viscosity of the aqueous phase is obtained, which viscosity increase plays an important role in inhibiting the disproportionation of the foam structure. The rigidity of the matrix inhibits the coalescence of the air cells.

Thus, by freezing the ice cream, ice crystals are formed and the viscosity of the aqueous phase increases. However, by the freezing process the number and size of the ice crystals increase, which, as outlined above, can also have a negative effect on the texture and smoothness of the ice cream. Thus, a delicate balance exists between the structural stability imparted by the viscosity of the aqueous phase, and the texture and taste sensation conferred to the ice cream by ice crystals.

It has long been known that ice cream having fewer and/or smaller ice crystals, herein also referred to as "less ice", tastes smoother and creamier, and less gritty and coarse. In order to obtain ice cream of such quality, it has been attempted in the art to lower the freezing point of the mix (to e.g. -3.5°C or lower), which results in formation of less ice in the ice cream, and thus an improved smooth and creamy taste in comparison to conventional ice cream having a freezing temperature of about -2.5°C . The term "freezing point" as used herein refers to the freezing temperature at which the ice cream mix starts to freeze. In the art, it is known that a freezing point depression in ice cream mix may be accomplished by altering, for example, the sugar and/or salt composition/concentration in the ice cream mix. Conventionally, the freezing point of ice cream is about -2.5°C . Methods for determining

the freezing point of ice cream mix are known in the art. The freezing point may for example be measured using any instrument capable of determining the freezing point of liquid, such as e.g. the Advanced milkcryoscope type 4D3 (Labyrint Holland BV, The Netherlands) according to the instructions of the manufacturer.

However, as outlined above, the presence of sufficient ice is important to have sufficient viscosity of the unfrozen aqueous phase for stabilising the air cells. As a consequence of a decreased freezing point, i.e. the presence of less ice, such ice cream often suffers from lack of air cell (foam) stability. This reduced air cell stability results for example in rapid coarsening (disproportionation and/or coalescence) of air cells during storage at a temperature below -15°C , which causes a major texture deterioration in the ice cream. After only few weeks of storage, large air cells are found to be present in the ice cream with a depressed freezing point, which renders such ice cream unattractive; mouthfeel and scoopability are affected. Thus, ice cream having a depressed freezing point of -3.5°C may have an improved texture because of less and /or smaller ice crystals, but is impaired in stability of air cells.

In an attempt to counteract this structural deterioration due to lack of air cell stability associated with ice cream prepared from a mix having a decreased freezing point, in the art high concentrations of stabilisers, such as e.g. locust bean gum, guar gum, carrageenan, microcrystalline cellulose, carboxymethylcellulose, pectin, gelatin, gum arabic, gellan gum, xanthan gum, modified starch, or a combination of two or more thereof, are used to bind unfrozen water in order to obtain a stable air cell ("foam") structure. However, the addition of high concentrations of stabilisers confers the ice cream a thready, gummy/rubbery and chewy mouthfeel, which is judged unpleasant. Moreover, the addition of high levels of stabilisers causes an increase in the viscosity of the ice cream mix, thus resulting in cumbersome processing and increased energy costs. It has not been possible to combine the improved taste of ice cream with a decreased freezing point with sufficient stability of the air cells. In the art, no satisfying solutions to the stability problems of ice cream with a decreased freezing point are known.

Therefore, it is an object of the present invention to provide ice cream prepared from ice cream mix having a depressed freezing point of -3.5°C or lower, which still possesses a highly stable

structure with a creamy and smooth, rather than thready and chewy texture. A "stable structure" or "air cell stability" is to be understood in such a way that at least no substantial coarsening of the air cells takes place during a frozen storage period at a temperature below -15°C of 2, 3, 4, 6, or most preferably 8 weeks.

Surprisingly, it was found that such a smooth and creamy tasting, highly stable ice cream was obtained by incorporating an unusually high content of unsaturated emulsifier to ice cream prepared from a mix with a freezing point of -3.5°C or lower. It was found that the unsaturated emulsifier did not have any unpleasant effect on taste and texture of the ice cream. Conventionally, about 0.1% (w/w) unsaturated emulsifier is incorporated in the ice cream and it is generally advised by the manufacturers of such unsaturated emulsifier to use 0.05-0.15% (w/w) in the ice cream. As outlined above, the unsaturated emulsifier is incorporated in the ice cream only to destabilise the fat globules in the ice cream. No stabilising effect with regard to air cell stability has been described thus far.

Thus, the present invention relates to ice cream prepared by freezing an ice cream mix having a freezing point of -3.5°C or lower, comprising at least 0.2% (w/w) unsaturated emulsifier.

The term "unsaturated emulsifier" is well known in the art. Such emulsifiers are derived from unsaturated fats and generally constitute a mixture of mono- and diglyceride esters of unsaturated fatty acids with glycerol, also referred to as mono- and diglycerides, respectively. Examples of commercially available unsaturated emulsifier preparations are e.g. the emulsifiers Dimodan RT, P Bel B, U/J, UP/B, S, OT Pel and LS of Danisco, Denmark, Grindsted PS 217/B, Grindsted Mono Di SL60 of Danisco, Denmark, Palsgaard, 0094, 0095, 0098 and 0291 of Palsgaard, Denmark and Myverol 18-35K, 18-92K and 18-50XL PL of Quest, The Netherlands, or combinations of two or more thereof. Generally, such commercial unsaturated emulsifier preparations may also comprise substantial amounts of other substances, but usually at least 50% (w/w) of the preparations are composed of unsaturated emulsifier, but higher amounts are also common. It is to be understood that in case an unsaturated emulsifier preparation comprising 50% (w/w) unsaturated emulsifier is used in the ice cream according to the present invention, preferably at least 0.4% (w/w) of the unsaturated emulsifier preparation is incorporated in the ice cream mix. According to the invention, both cis- and trans- unsaturated

emulsifiers, or a combination thereof can be used. It is preferred that the mix is void of saturated emulsifiers; however, saturated emulsifiers as well as any other emulsifiers commonly known in the art may be present. The amount of unsaturated emulsifier in the ice cream mix can be determined using any conventional method or methods, such as e.g. gas liquid chromatography (GLC), optionally using a combination of conventional methods, such as e.g. GLC with any additional conventional method for quantitation of such unsaturated emulsifier, such as mass spectrometry.

10 It has surprisingly been found that addition of unsaturated emulsifier in the high amounts as defined by the present invention, i.e. higher than the commonly used amount of 0.1% (w/w), conferred the ice cream exceptional stability with regard to resistance to coarsening of air cells, which is especially important in ice cream having less ice, i.e. ice cream prepared from a mix having a decreased freezing point. It was not known in the art that unsaturated emulsifiers not only function to destabilise fat globules in the mix, but also aid to stabilise air cells in the ice cream when present in a high amount, as is described above. The invention
15 therefore also relates to the use of unsaturated emulsifier to stabilise air cells in aerated desserts, in particular ice cream, more in particular ice cream having a freezing point of -3.5°C or lower, which will be further outlined below.

Surprisingly, the ice cream was also found to be exceptionally
25 stable to temperature fluctuations. This is especially important as temperature fluctuations result in significant coarsening of air cells and growth of ice crystals, which processes make the ice cream feel more icy and less creamy. Thus, generally temperature fluctuations result in ice cream with a deteriorated texture sensation. Such temperature fluctuations occur e.g. during
30 transportation, storage at the grocery store or during transportation and storage by the consumer.

A third interesting aspect of the ice cream according to the invention is that it was found to be highly shape stable, i.e. at
35 room temperature melting was retarded in comparison to conventional ice cream. The latter makes the ice cream according to the present invention particularly suitable for frozen ice cream patisserie, such as e.g. ice pudding or ice cream cake.

According to the invention, it is found that high contents of
40 the unsaturated emulsifier in combination with the lowered freezing

point provides ice cream with less ice and relatively small air bubbles, which synergistically results in soft, creamy and smooth tasting ice cream which is not only structurally highly stable, but also highly shape stable. Without being bound to any explanation, it is thought that the high content of unsaturated emulsifier prevents the coalescence and/or disproportionation of small air bubbles into larger air bubbles, such that the ice cream structure remains very fine and highly (shape) stable.

It is preferred that the ice cream mix has a freezing point of -4°C , more preferably -4.5°C , or lower, as again less ice is formed and the ice cream sensation is even more creamy.

Due to the high contents of unsaturated emulsifier according to the present invention, the content of stabilisers can be kept at a conventional level, i.e. the normal content of stabilisers in conventional ice cream having been prepared from an ice cream mix with a conventional freezing point of about -2.5°C (stabiliser content of 0.1-0.5% (w/w)).

In a preferred embodiment the ice cream comprises at least 0.25% (w/w), more preferably at least 0.3% (w/w) unsaturated emulsifier. In this range, the best results are obtained for taste, structural stability, i.e. air cell stability, ice crystal stabilisation and immobilisation of the unfrozen water, as well as shape stability. It is preferred that the ice cream comprises at most 1% (w/w) unsaturated ice cream.

It is preferred that the unsaturated emulsifier comprises unsaturated glyceride, preferably unsaturated monoglyceride, diglyceride or mixtures thereof. Non-limiting examples of the unsaturated emulsifier which may be suitable for the present invention are disclosed above. The skilled person will be aware of suitable unsaturated emulsifier for the envisaged aim.

In a further embodiment the invention relates to ice cream as disclosed above, comprising 20-30% (w/w) sugar, the sugar being selected as to achieve a freezing point of the ice cream mix of -3.5°C , preferably -4°C , more preferably -4.5°C or lower. It is known in the art how such freezing point can be achieved, and a skilled practitioner will readily be able to select suitable sugar sources and combinations thereof with suitable salts as to achieve such freezing point.

Sugar (which is herein meant to include all carbohydrates) and/or salt improve texture and palatability of the ice cream and

enhance flavours. Moreover, sugar and salt play an essential role in depression of the freezing point so that the ice cream comprises the required unfrozen water at very low temperatures typical of the serving temperature, such as -15°C . Without sufficient unfrozen
5 water, the ice cream would be too hard and icy to taste pleasant.

The term "sugar" is well known in the art and refers to any conventionally used carbohydrates, sugars, sweeteners or combinations thereof. Non-limiting examples of sugar are sucrose, maltose, lactose, invert sugar, glucose, galactose, dextrose, fructose,
10 sorbose and xylose, and sugar alcohols, such as mannitol, xylitol and lactitol, or combinations thereof. The sugar may also be provided in the form of sweeteners derived from e.g. corn syrup, starch syrup, whey syrup, glucose syrup, etc., or in the form of hydrolysates of well-known carbohydrates, disaccharides, trisaccharides,
15 tetrasaccharides, etc, or combinations of one or more thereof. One skilled in the art will easily be able to determine which sugar, syrups or hydrolysates, as well as the content thereof, will be suitable to obtain the desired freezing point, optionally in combination with a suitable selection of salt.

20 In a further embodiment, the present invention relates to ice cream according to the present invention, wherein the sugar comprises at least 50% (w/w) monosaccharides. This means that of the total amount of sugar on weight basis, at least 50% (w/w) are monosaccharides, such as e.g. dextrose, glucose, galactose, fructose,
25 sorbose and xylose, or combinations of two or more thereof. Such content of monosaccharides is generally sufficient to obtain the desired freezing point depression to -3.5°C or lower, preferably -4°C or lower, more preferably -4.5°C or lower.

It is preferred that the sugar is chosen from the group,
30 consisting of lactose, sucrose, galactose, glucose, glucose syrup and dextrose or a combination of two or more thereof. It has been found that excellent ice cream was obtained using such sugar composition.

In a further embodiment, the ice cream according to the invention further comprises 1-18% (w/w) fat, 4-16% (w/w) milk solids
35 non-fat and 0.1-0.5% (w/w) stabilisers. With such composition, highly stable ice cream is formed which has a smooth and creamy taste. The term "fat" may be any type of fat, and includes e.g. vegetable fat, milk fat or combinations thereof. Non-limiting examples of milk fat are e.g. butter, cream, butter concentrate, butter oil and
40 fractionated butter. Vegetable fat can e.g. be palm fat, palm kernel

fat, coconut fat, or combination of two or more thereof, and may be (partially) hardened. The term "milk solids non-fat" is well known in the art and refers to dried milk components from which the major part of the milk fat has been removed. The milk solids non-fat may

5 (partially) consist of whey protein preparations, such as e.g. whey protein concentrates or isolates. Other non-limiting examples of milk solids non-fat are skim milk powder, caseinate, milk protein concentrate (MPC) or mixtures of two or more thereof.

Another embodiment of the invention concerns an ice cream
10 according to the invention, comprising 5-10% (w/w) of a hydrolysed lactose preparation, 2-8% (w/w) sucrose and 10-22% (w/w) dextrose. The hydrolysed lactose preparation may be completely or partially hydrolysed. It has been found that using such relatively cheap sugar source, an excellent highly stable ice cream was obtained which was
15 very resistant to temperature fluctuations also highly shape stable.

Due to its soft rheological properties, the ice cream according to the present invention is highly suitable for packaging in a squeezable container, such as e.g. a tube or pouch. Thus, in a further embodiment the invention relates to an ice cream according to
20 the present invention, characterised in that it is packaged in a squeezable container, such as e.g. a tube or a pouch. Said container is designed as to squeeze the ice cream from an opening, for example directly into the mouth, and may optionally be fitted with a closable lid, such as e.g. a spout with a lid.

25 In a further aspect the invention relates to ice cream mix having a freezing point of -3.5°C or lower, comprising at least 0.2% (w/w) unsaturated emulsifier. As indicated above, such ice cream mix has substantially the same composition as the ice cream. The mix is aerated and frozen, e.g. as described below, to obtain the ice cream.
30 The ice cream mix may also be provided as a concentrate of its components which may be diluted with e.g. water or milk as to obtain the mix. Alternatively, the ice cream mix may be provided as a kit comprising ice cream ingredients as separate components, which may e.g. be mixed with water or milk to obtain the ice cream mix.

35 Preferably, the ice cream mix according to the invention comprises at least 0.25% (w/w) unsaturated emulsifier. It was found that using such content of unsaturated emulsifier provided the best results with regard to air cell stability, taste, shape stability and resistance to temperature fluctuations.

In a further embodiment the ice cream mix according to the invention further comprises fat, milk solids non-fat, sugar and stabiliser as to prepare the ice cream described above.

It is preferred that the ice cream mix according to the invention has a freezing point of -4°C or lower, and it is even more preferred that it has a freezing point of -4.5°C or lower, as the most creamy ice cream is thus obtained.

In addition, the present invention relates to a blend for preparing ice cream according to the present invention comprising unsaturated emulsifier, fat, sugar, stabilisers and milk solids non-fat. It is advantageous that the unsaturated emulsifier is incorporated in such a blend, as the otherwise solid emulsifier is then solubilised as to facilitate handling thereof and incorporation in the mix. Moreover, it is advantageous to have the stabilisers incorporated as to reduce the amount of processing steps to obtain the ice cream mix. The blend of the invention is mixed with the remaining mix components as to obtain the ice cream mix according to the invention. It is preferred that the blend is a dry composition, however this is not required.

In one embodiment, the blend comprises 20-50% (w/w) unsaturated emulsifier, 20-60% (w/w) fat, 7-15% (w/w) sugar, 3-22% (w/w) stabilisers and 2-5% (w/w) milk solids non-fat. Preferably, the blend comprises 25-40% (w/w) unsaturated emulsifier and 30-55% (w/w) fat. More preferably, the blend comprises 25-35% (w/w) unsaturated emulsifier and 35-55% (w/w) fat. Using such amount of ingredients, a blend is obtained which has excellent properties with regard to incorporation and solubilisation of the emulsifier and incorporation of stabiliser. The above blend can be mixed with the remaining amounts of fat, milk solids non-fat, sugar, water and optionally stabilisers and other ingredients, such as e.g. salt, necessary to obtain the ice cream mix according to the present invention.

As outlined above, the present invention relates to the use of the above blend for preparing ice cream according to the invention. As such, it is preferred that 1-2% (w/w), preferably 1.2-1.6% (w/w), more preferably about 1.4% of the blend is incorporated in the ice cream mix as to obtain the desired concentration unsaturated emulsifier in the mix.

Generally, ice cream manufacturing comprises the steps of preparing an ice cream mix, whipping and (partially) freezing said mix, optionally hardening the thus formed ice cream, followed by

storage at a temperature of less than -15°C . The mix is often prepared by blending of the ingredients to form a mix, pasteurisation, homogenisation and ageing of the mix. Following mix processing, the mix is optionally drawn into a flavour tank where any liquid flavours, fruit purees or colours are added. The ice cream mix may then enter a dynamic freezing process which both freezes a portion of the water and whips air into the frozen mix. The mix is pumped through the freezer at sub-zero and is mostly drawn off the other end with about 40% of its water frozen. Subsequently, particulates, such as fruits, nuts, cookies, candy, etc., may be added to the semi-frozen ice cream and the ice cream is placed into a blast freezer where most of the remaining water is frozen. The manufacture of ice cream is well known in the art. It is to be understood that any process for preparing ice cream according to the present invention may be employed.

Generally, the dynamic freezing process, i.e. the freezing with incorporation of air, is carried out at a so-called drawing temperature of $-5/-6^{\circ}\text{C}$. However, at such temperature the ice cream according to the present invention is not formed, as no stable ice crystals are formed.

Therefore in a further aspect the invention relates to a process for the preparation of an ice cream according to the present invention comprising the steps of: a) preparing an ice cream mix according to the invention; b) aerating and freezing the mix at a drawing temperature in the range of -8°C to -12°C ; and c) hardening the ice cream at a temperature in the range of -20°C to -50°C . It was found that at a drawing temperature in the range of -8°C to -12°C sufficient ice is formed to stabilise the foam network, and the ice cream has a good scoopability and soft, warm and smooth taste at a typical serving temperature of -15°C to -20°C .

"Drawing temperature" as herein used refers to the temperature of the ice cream at the exit of the freezer. According to the present invention the ice cream mix may be first aerated and then frozen, may be first partially frozen and then aerated, or the aeration and freezing may take place simultaneously, or a combination of these steps.

Preferably, in step a) an ice cream mix is prepared by combining a water phase and a fat phase, the emulsifier at least partially being incorporated in the fat phase. In this manner, the

emulsifier is best incorporated in the ice cream structure, and the ice cream structure is most stable.

According to the invention, it was found for the first time that unsaturated emulsifier could be employed for preventing air cell coarsening in aerated frozen desserts, in particular ice cream, more in particular ice cream having a freezing point of -3.5°C or lower.

Therefore, in a further aspect the invention relates to the use of unsaturated emulsifier for preventing air cell coarsening in an aerated frozen dessert. Herein, the term "ice cell coarsening" refers to the coalescence and disproportionation of air cells as is discussed above. Such a dessert is generally prepared by aerating and freezing an dessert mix, such as e.g. ice cream mix, ice milk mix, frozen yoghurt mix, fruit juice mix, etc. Non-limiting examples of such aerated frozen desserts are ice cream, ice cream prepared from a mix having a depressed freezing point, in particular of -3.5°C or lower, ice milk desserts, frozen yoghurt desserts, frozen fruit juice desserts, etc. The unsaturated emulsifier is thus incorporated to stabilise the air cell structure in said aerated frozen dessert. It is preferred that the unsaturated emulsifier is present in an amount of at least 0.2% (w/w), preferably at least 0.25% (w/w) in the dessert, as it was found that the prevention of air cell coarsening was particularly well at such content of unsaturated emulsifier. In particular, the present invention relates to the use of the unsaturated emulsifier for stabilising air cells in the dessert for at least 2 weeks at a storage temperature of -15 to -30°C . Herein, "stabilising air cells" refers to the prevention of air cell coarsening.

In an advantageous embodiment of the above use, the dessert is ice cream having a freezing point of -3.5°C or lower. Such prevention of air cell coarsening and thus stabilisation of air cells was found to be particularly important and particularly well in such dessert.

EXAMPLES

The invention is now further illustrated by the following non-limiting examples.

Fig. 1 shows a cryo-SEM micrograph of reference ice cream prepared from a mix with a depressed freezing point and a conventional amount of unsaturated emulsifier after 2 weeks storage at -20°C .

Fig. 2 shows a cryo-SEM micrograph of ice cream according to the present invention after 2 weeks storage at -20°C.

EXAMPLE 1. Preparation of ice cream according to the invention and comparison with ice cream having a commonly used amount of unsaturated emulsifier

Ice cream mix was prepared from 4.0% (by weight) hardened palmkernel fat (Cargill, The Netherlands), 6.2% or 6.0% (depending on the amount of unsaturated emulsifier incorporated; the total amount of fat was the same in both ice creams) hardened coconut fat (Cargill, The Netherlands), 5.0% skim milk powder, 7.1% Espriion 400L (DMV International, The Netherlands; whey product in which the lactose has been partially hydrolysed to glucose and galactose), 17.0% dextrose, 4.0% sucrose and 0.2% (conventional ice cream; A) or 0.4% (ice cream according to the invention; B) unsaturated emulsifier preparation Myverol 18-35K (a preparation comprising about 50% (w/w) unsaturated emulsifier, Quest International, The Netherlands).

The skim milk powder, sugars and Espriion 400L were blended in water of 40°C to form a water phase. The emulsifier and fat were blended together to form a fat phase, and the water and fat phase were mixed. The thus formed mix was pasteurised for 10 sec. at 82°C, and then homogenised at 160 bar at 75-80°C. The mix was then cooled to 4°C and left overnight at 4°C for ripening. Subsequently, ice cream was produced from the mix using the APV Technohoy MF50 with an overrun of 100% and a drawing temperature of -10/-11°C. Next, the ice cream was hardened at -50°C for 24 hrs and stored at -20°C.

After 2 weeks of storage at -20°C, both the conventional ice cream (A) and the ice cream according to the present invention (B) were analysed for air cell size, scoopability and shape stability.

To analyse the air cells of both ice creams, cryo-SEM micrographs of the ice cream samples were made (Fig. 1 (ice cream A) and 2 (ice cream B)). It was found that in ice cream A (Fig. 1) significant coarsening of the air cells had occurred in comparison with freshly prepared ice cream. In contrast therewith, in ice cream B (Fig. 2) the air cell size was comparable to the air cell size of freshly prepared ice cream, and hardly any coarsening had occurred. It was found that this effect was maintained up until at least 2 months of storage at -20°C, whereas the structure of the conventional ice cream A deteriorated even more in the course of time.

In addition thereto, it was found that the ice cream according to the present invention (B) remained easy to scoop, similarly to freshly prepared ice cream, whereas conventional ice cream (A) became much harder to scoop during the prolonged storage time.

5 Also, both ice creams A and B were exposed to room temperature for 90 minutes, and the serum loss of both ice creams was measured to determine shape stability. The conventional ice cream A appeared to be completely melted after 90 minutes, with a serum loss of 6.7%, whereas the ice cream according to the invention (B) retained its
10 shape, with a serum loss of only 0.9% after 90 minutes of exposure to room temperature.

EXAMPLE 2. Comparison of ice cream according to the invention with ice cream wherein high amounts of stabilisers are employed for
15 stabilisation of the air cell structure

Ice cream was prepared comprising either 0.3% saturated emulsifier/0.7% (w/w) stabilisers (ice cream C) or 0.5% (w/w) unsaturated emulsifier preparation/0.3% (w/w) stabilisers (ice cream
20 D) respectively. The ice cream was prepared as above in example 1, with the following ingredients (by weight percentage in composition):

Ingredients (by weight% in composition)	C	D
Hardened palmkernel fat (Cargill, The Netherlands)	4.0	4.0
Hardened coconut fat (Cargill, The Netherlands)	6.4	6.4
Skim milk powder	7.0	7.0
Esprion 400L (DMV International, The Netherlands)	7.14	7.14
Dextrose	12.0	12.0
Sucrose	5.0	5.0
Glucodry 330 (AVEBE, The Netherlands)	4.0	4.0
Unsaturated emulsifier preparation Myverol 18-35K (Quest International, The Netherlands)		0.5
emulsifier Cremodan super (Danisco, Denmark)	0.3	
Guar Meyprogat 150 (Meypro BV, The Netherlands)	0.35	0.2
Locustbeangum Meyprofleur M175 (Meypro BV, The Netherlands)	0.3	0.1
Carrageenan Grindsted CL110 (Danisco, Denmark)	0.05	

The ice cream thus prepared was stored at -20°C for several weeks, and was then evaluated sensorially. Ice cream C was judged as follows: a soft scoopable ice cream, moderate in warmth, gummy/rubbery, slimy texture, stringy, slight coarsening of the foam visible, "dusty cardboard" aftertaste. In contrast therewith, the ice cream according to the present invention (ice cream D) was judged as follows: soft scoopable ice cream, warm, creamy, clean eating, no visible coarsening of the foam, no chewy (rubbery) texture, smooth. The taste, texture and mouthfeel of the ice cream according to the present invention (D) was thus found considerably more pleasant than the ice cream with a relatively high content of stabiliser (C).

C L A I M S

1. Ice cream prepared by freezing an ice cream mix having a freezing point of -3.5°C or lower, comprising at least 0.2% (w/w) unsaturated emulsifier.
5
2. Ice cream according to claim 1, comprising at least 0.25% (w/w) unsaturated emulsifier.
- 10 3. Ice cream according to claim 1 or 2, wherein the unsaturated emulsifier comprises unsaturated glyceride, preferably unsaturated monoglyceride, diglyceride or mixtures thereof.
- 15 4. Ice cream according to any of the preceding claims comprising 20-30% (w/w) sugar, the sugar being selected as to achieve a freezing point of the ice cream mix of -3.5°C or lower.
5. Ice cream according to claim 4, wherein the sugar comprises at least 50% (w/w) monosaccharides.
20
6. Ice cream according to claims 4 or 5, wherein the sugar is chosen from the group, consisting of lactose, sucrose, galactose, glucose, glucose syrup and dextrose or a combination of two or more thereof.
- 25 7. Ice cream according to any of the claims 4-6, further comprising 1-18% (w/w) fat, 4-16% (w/w) milk solids non-fat and 0.1-0.5% (w/w) stabilisers.
- 30 8. Ice cream according to any of claims 4-7, comprising 5-10% (w/w) of a hydrolysed lactose preparation, 2-8% (w/w) sucrose and 10-22% (w/w) dextrose.
9. Ice cream according to any of the preceding claims, characterised
35 in that it is packaged in a squeezable container.
10. Ice cream mix having a freezing point of -3.5°C or lower, comprising at least 0.2% (w/w) unsaturated emulsifier.

11. Ice cream mix according to claim 10, comprising at least 0.25% (w/w) unsaturated emulsifier.
12. Ice cream mix according claims 10 or 11, further comprising fat, milk solids non-fat, sugar and stabiliser.
13. Ice cream mix according to any of claims 10-12 having a freezing point of -4°C or lower.
14. Ice cream mix according to any of claims 10-13 having a freezing point of -4.5°C or lower.
15. Blend for preparing ice cream according to any of the claims 1-9 comprising unsaturated emulsifier, fat, sugar, stabilisers and milk solids non-fat.
16. Blend according to claim 15 comprising 20-50% (w/w) unsaturated emulsifier, 20-60% (w/w) fat, 7-15% (w/w) sugar, 3-22% (w/w) stabilisers and 2-5% (w/w) milk solids non-fat.
17. Use of the blend according to claims 15 or 16 for preparing ice cream according to any of the claims 1-9.
18. Use according to claim 17, wherein 1-2% w/w of the blend is incorporated in the ice cream mix.
19. Process for the preparation of an ice cream according to claims 1-9 comprising the steps of:
 - a) preparing an ice cream mix according to any of the claims 10-14;
 - b) aerating and freezing the mix at a drawing temperature in the range of -8°C to -12°C ; and
 - c) hardening the ice cream at a temperature in the range of -20°C to -50°C .
20. Process according to claim 19, wherein in step a) an ice cream mix is prepared by combining a water phase and a fat phase, the emulsifier at least partially being incorporated in the fat phase.

21. Use of unsaturated emulsifier for preventing air cell coarsening in an aerated frozen dessert.

22. Use according to claim 20, said unsaturated emulsifier being
5 present in an amount of at least 0.2% (w/w) in the dessert.

23. Use according to claims 20 or 21 for stabilising air cells in the dessert for at least 2 weeks at a storage temperature of -15 to -30°C.

10

24. Use according to any of claims 21-24, wherein the dessert is ice cream having a freezing point of -3.5°C or lower.

ABSTRACT

The invention relates to ice cream prepared by freezing an ice cream mix having a freezing point of -3.5°C or lower, comprising at least 5 0.2% (w/w) unsaturated emulsifier, an ice cream mix having substantially the same composition for preparing the same by e.g. aerating and freezing, and a process for the preparation of the said ice cream.




Fig. 1




Fig. 2

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.